

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzene 40-60 extra pure

article number: **9320**
Version: **1.1 en**
Replaces version of: Version:

date of compilation: 2016-07-08
Revision: 2016-07-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Petroleum benzene 40-60**
Article number 9320
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Classification acc. to GHS | | | |
|----------------------------|---|---------------------------|------------------|
| Section | Hazard class | Hazard class and category | Hazard statement |
| 2.6 | flammable liquid | (Flam. Liq. 2) | H225 |
| 3.2 | skin corrosion/irritation | (Skin Irrit. 2) | H315 |
| 3.8D | specific target organ toxicity - single exposure (narcotic effects, drowsiness) | (STOT SE 3) | H336 |
| 3.10 | aspiration hazard | (Asp. Tox. 1) | H304 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | (Aquatic Chronic 2) | H411 |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.
The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 shall apply.

The most important adverse physicochemical, human health and environmental effects

Narcotic effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms



Hazard statements

| | |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

Precautionary statements - prevention

| | |
|------|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames. No smoking. |
| P240 | Ground/bond container and receiving equipment. |
| P273 | Avoid release to the environment. |

Precautionary statements - response

| | |
|-----------|--|
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician. |
| P331 | Do NOT induce vomiting. |

Precautionary statements - storage

| | |
|-----------|--|
| P403+P235 | Store in a well-ventilated place. Keep cool. |
|-----------|--|

Hazardous ingredients for labelling: Light naphtha-hydrotreated, n-Pentane

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H304 May be fatal if swallowed and enters airways.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
P331 Do NOT induce vomiting.
contains: Light naphtha-hydro-treated, N-Pentane

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Composition/information on ingredients.

| Name of substance | Identifier | wt% | Classification acc. to 1272/2008/EC | Pictograms |
|-----------------------------|--|---------|---|------------|
| Light naphtha-hydro-treated | EC No 931-254-9 REACH Reg. No 01-2119484651-34-xxxx | ≥ 50 | Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 | |
| n-Pentane | CAS No 109-66-0 EC No 203-692-4 Index No 601-006-00-1 REACH Reg. No 01-2119459286-30-xxxx | 25 - 50 | Flam. Liq. 2 / H225 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 | |

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Do not induce vomiting. Observe aspiration hazard if vomiting occurs. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Dizziness, Unconsciousness, Headache, Vertigo, Irritation, Spasms

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.

Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

• Ventilation requirements

Use local and general ventilation.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Notation | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Source |
|---------|---------------|----------|----------|------------|-----------|--------------------------|------------|---------------------------|------------|
| EU | n-pentane | 109-66-0 | | IOELV | 1.000 | 3.000 | | | 2006/15/EC |
| GB | pentane | 109-66-0 | | WEL | 600 | 1.800 | | | EH40/2005 |

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|----------|----------|-------------------------|------------------------------------|-------------------|----------------------------|
| n-Pentane | 109-66-0 | DNEL | 3.000 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| n-Pentane | 109-66-0 | DNEL | 432 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

• relevant PNECs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Environmental compartment | Exposure time |
|-------------------|----------|----------|-----------------|------------------------------|------------------------------|
| n-Pentane | 109-66-0 | PNEC | 230 µg/l | freshwater | short-term (single instance) |
| n-Pentane | 109-66-0 | PNEC | 230 µg/l | marine water | short-term (single instance) |
| n-Pentane | 109-66-0 | PNEC | 880 µg/l | water | continuous |
| n-Pentane | 109-66-0 | PNEC | 3.600 µg/l | sewage treatment plant (STP) | short-term (single instance) |
| n-Pentane | 109-66-0 | PNEC | 1,2 mg/kg | freshwater sediment | short-term (single instance) |
| n-Pentane | 109-66-0 | PNEC | 1,2 mg/kg | marine sediment | short-term (single instance) |
| n-Pentane | 109-66-0 | PNEC | 0,55 mg/kg | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggles with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

- **material thickness**

0,4 mm.

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

Splash protection - Protective gloves

- **Type of material**

NBR (Nitrile rubber).

- **Material thickness**

>0,11 mm.

- **Breakthrough times of the glove material**

>30 minutes (permeation: level 2).

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|-----------------|-------------------|
| Physical state | liquid (fluid) |
| Colour | colourless |
| Odour | like: Gasoline |
| Odour threshold | No data available |

Other physical and chemical parameters

| | |
|---|------------------------------------|
| pH (value) | This information is not available. |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 40 - 60 °C |
| Flash point | <-30 °C |
| Evaporation rate | no data available |
| Flammability (solid, gas) | not relevant (fluid) |
| <u>Explosive limits</u> | |
| • lower explosion limit (LEL) | 1,1 vol% |
| • upper explosion limit (UEL) | 8 vol% |
| Explosion limits of dust clouds | not relevant |
| Vapour pressure | This information is not available. |
| Density | 0,65 g/cm ³ at 15 °C |
| Vapour density | This information is not available. |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

| | |
|--------------------------------------|--|
| Bulk density | Not applicable |
| Relative density | Information on this property is not available. |
| <u>Solubility(ies)</u> | |
| Water solubility | no data available |
| <u>Partition coefficient</u> | |
| n-octanol/water (log KOW) | This information is not available. |
| Auto-ignition temperature | 260 °C |
| Decomposition temperature | no data available |
| Viscosity | not determined |
| Explosive properties | shall not be classified as explosive |
| Oxidising properties | none |
| 9.2 Other information | |
| Temperature class (EU, acc. to ATEX) | T3 (Maximum permissible surface temperature on the equipment: 200°C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

risk of ignition. Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant
The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 shall apply

• Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

data are not available

• If in eyes

data are not available

• If inhaled

fatigue, narcosis

• If on skin

causes skin irritation, repeated exposure may cause skin dryness or cracking

Other information

Headache, Unconsciousness, Vertigo, Dizziness, Drowsiness, Agitation

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-----------------------------|----------|----------|------------|-------------------------------------|---------------|
| Light naphtha-hydro-treated | | EC50 | 18 mg/l | rainbow trout (Oncorhynchus mykiss) | 96 h |
| Light naphtha-hydro-treated | | EC50 | 32 mg/l | daphnia magna | 48 h |
| n-Pentane | 109-66-0 | LL50 | 27,55 mg/l | fish | 96 h |
| n-Pentane | 109-66-0 | EL50 | 48,11 mg/l | aquatic invertebrates | 48 h |

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

12.2 Process of degradability

The substance is readily biodegradable.

Degradability of components of the mixture

| Name of substance | CAS No | Process | Degradation rate | Time |
|-----------------------------|----------|------------------|------------------|------|
| Light naphtha-hydro-treated | | biotic/abiotic | 98 % | 28 d |
| n-Pentane | 109-66-0 | oxygen depletion | 87 % | 28 d |

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|-------------------|----------|----------|---------|----------|
| n-Pentane | 109-66-0 | 171.0 [] | 3,45 | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| | | |
|------|--|---|
| 14.1 | UN number | 3295 |
| 14.2 | UN proper shipping name | HYDROCARBONS, LIQUID, N.O.S. |
| | Hazardous ingredients | Light naphtha-hydrotreated, N-Pentane |
| 14.3 | Transport hazard class(es) | |
| | Class | 3 (flammable liquids) |
| 14.4 | Packing group | II (substance presenting medium danger) |
| 14.5 | Environmental hazards | hazardous to the aquatic environment (Light naphtha-hydrotreated) |
| 14.6 | Special precautions for user | |
| | | Provisions for dangerous goods (ADR) should be complied within the premises. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | |
| | | The cargo is not intended to be carried in bulk. |
| 14.8 | Information for each of the UN Model Regulations | |
| | • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) | |
| | UN number | 3295 |
| | Proper shipping name | HYDROCARBONS, LIQUID, N.O.S. |
| | Particulars in the transport document | UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, II, (D/E), environmentally hazardous, special provision 640D |
| | Class | 3 |
| | Classification code | F1 |
| | Packing group | II |
| | Danger label(s) | 3 + "fish and tree" |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzene 40-60 extra pure

article number: 9320



| | |
|---|--|
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 640D |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 33 |
| Emergency Action Code | 3YE |
| • International Maritime Dangerous Goods Code (IMDG) | |
| UN number | 3295 |
| Proper shipping name | HYDROCARBONS, LIQUID, N.O.S. |
| Particulars in the shipper's declaration | UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, II, <-30°C c.c., MARINE POLLUTANT |
| Class | 3 |
| Marine pollutant | yes (hazardous to the aquatic environment) |
| Packing group | II |
| Danger label(s) | 3 + "fish and tree" |



| | |
|--------------------------|----------|
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | B |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients are listed.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

None of the ingredients are listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

None of the ingredients are listed.

- **Restrictions according to REACH, Annex XVII**

None of the ingredients are listed.

- **List of substances subject to authorisation (REACH, Annex XIV)**

None of the ingredients are listed.

- **Seveso Directive**

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|--|---|-----|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| E2 | environmental hazards (hazardous to the aquatic environment, cat. 2) | 200 | 500 | 57) |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

None of the ingredients are listed.

- **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed.

- **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Chronic | hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | aspiration hazard |
| BCF | BioConcentration Factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| COD | chemical oxygen demand |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Flam. Liq. | flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IMDG | International Maritime Dangerous Goods Code |
| index No | the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | indicative occupational exposure limit value |
| log KOW | n-octanol/water |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum benzine 40-60 extra pure

article number: 9320

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| Skin Corr. | corrosive to skin |
| Skin Irrit. | irritant to skin |
| STEL | short-term exposure limit |
| STOT SE | specific target organ toxicity - single exposure |
| TWA | time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | very Persistent and very Bioaccumulative |
| WEL | workplace exposure limit |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|---|
| H225 | highly flammable liquid and vapour |
| H304 | may be fatal if swallowed and enters airways |
| H315 | causes skin irritation |
| H336 | may cause drowsiness or dizziness |
| H411 | toxic to aquatic life with long lasting effects |

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.