according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: **8879** Version: **1.1 en** Replaces version of: 2016-04-22 Version: (1.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1 Identification of the substance **Oxalic acid dihydrate** Article number 8879 Registration number (REACH) This information is not available. Index No 607-006-00-8 EC number 205-634-3 CAS number 6153-56-6 1.2 Relevant identified uses of the substance or mixture and uses advised against **Identified uses:** laboratory chemical 1.3 Details of the supplier of the safety data sheet Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany Telephone: +49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de Competent person responsible for the safety data : Department Health, Safety and Environment sheet e-mail (competent person) : sicherheit@carlroth.de 1.4 **Emergency telephone number Emergency information service** Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS				
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment	
3.10	acute toxicity (oral) (Acute Tox. 4) H302		H302	
3.1D	acute toxicity (dermal)	(Acute Tox. 4)	H312	

date of compilation: 2016-04-22 Revision: 2016-04-26

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms



Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection.

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Labelling of packages where the contents do not exceed 125 ml Signal word: Warning Symbol(s)



2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Oxalic acid dihydrate
Index No	607-006-00-8
EC number	205-634-3
CAS number	6153-56-6
Molecular formula	$C_{2}H_{2}O_{4} * 2 H_{2}O$
Molar mass	126 ^g / _{mol}

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Agitation, Circulatory collapse, Cough, Vomiting, Nausea, Spasms, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust. Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. When diluting/dissolving, always have the water ready first, then slowly stir in the product.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Nota- tion	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
EU	oxalic acid	144-62-7		IOELV	1		2006/15/EC
GB	oxalic acid	144-62-7		WEL	1	2	EH40/2005

Notation

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 STEL TWA

hours time-weighted average

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm.

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	solid
Colour	white
Odour	odourless
Odour threshold	No data available
Other physical and chemical parameters	
pH (value)	1,25 (water: 10 ^g / _l , 20 °C)
Melting point/freezing point	101 °C
Initial boiling point and boiling range	This information is not available.
Flash point	157 °C
Evaporation rate	no data available
Flammability (solid, gas)	Non-flammable
Explosive limits	
lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available
Vapour pressure	21 hPa at 50 °C
Density	1,65 ^g / _{cm³} at 20 °C
Vapour density	This information is not available.
Bulk density	900 - 1.000 ^{kg} / _{m³}
Relative density	Information on this property is not available.
Solubility(ies)	
Water solubility	100 ^g / _l at 20 °C
Partition coefficient	
n-octanol/water (log KOW)	-0,81 (anhydrous)
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	no data available
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Chlorates, Silver, Strong oxidiser, Exothermic reaction with: Alkalis, Ammonia (NH3), Mercury

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Method
oral	LD50	375 ^{mg} / _{kg}	rat	anhydrous
dermal	LD50	20.000 ^{mg} / _{kg}	rabbit	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

data are not available

• If in eyes

data are not available

• If inhaled

data are not available

• If on skin

data are not available

Other information

Circulatory collapse, Spasms, Nausea, Agitation

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Method	Exposure time
EC50	137 ^{mg} /l	daphnia magna	anhydrous	48 hours
LC50	160 ^{mg} /լ	orfe (Leuciscus idus)	anhydrous	48 hours

12.2 Process of degradability

Not readily biodegradable. Theoretical Oxygen Demand: 0,1269 $^{mg}/_{mg}$ Theoretical Carbon Dioxide: 0,6984 $^{mg}/_{mg}$ Biochemical Oxygen Demand: 0,16 $^{g}/_{g}$

Process	Degradation rate	Time	
biotic/abiotic	40 %	5 d	

-0,81

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms. n-octanol/water (log KOW)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

12.6 Other adverse effects

Slightly hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	(not subject to transport regulations)
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	not relevant
	Class	-
14.4	Packing group	not relevant
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the danger- ous goods regulations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG) Not subject to IMDG.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

• **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)** Not listed.

• **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)** Not listed.

• Regulation 850/2004/EC on persistent organic pollutants (POP) Not listed.

• Restrictions according to REACH, Annex XVII

not listed

• List of substances subject to authorisation (REACH, Annex XIV)

not listed

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content

100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Comission Directive establishing a second list of indicative occupational exposure limit values in implement- ation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Oxalic acid dihydrate ≥99 %, cryst.

article number: 8879

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EŰ GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H312	harmful in contact with skin

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.