

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol ≥99 %, for synthesis

article number: **CP09**
Version: **1.0 en**

date of compilation: 2015-12-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	2-Methyl-1-propanol
Article number	CP09
Registration number (REACH)	01-2119484609-23-xxxx
Index No	603-108-00-1
EC number	201-148-0
CAS number	78-83-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 3)	H226
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	(STOT SE 3)	H335
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	(STOT SE 3)	H336

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Narcotic effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms



Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.

Precautionary statements - storage

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
-----------	--

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H318	Causes serious eye damage.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	2-Methyl-1-propanol
Index No	603-108-00-1
Registration number (REACH)	01-2119484609-23-xxxx
EC number	201-148-0
CAS number	78-83-1
Molecular formula	$C_4H_{10}O$
Molar mass	74,12 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness, Unconsciousness, Headache, Cough, Vomiting, Risk of blindness, Nausea, Risk of serious damage to eyes, Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Provision of sufficient ventilation.

- Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

not relevant

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [min]	Source
GB	2-methylpropan-1-ol	78-83-1	WEL	50	154	75	15	EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	310 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0,4 mg/l	freshwater	short-term (single instance)
PNEC	0,04 mg/l	marine water	short-term (single instance)
PNEC	10 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	1,52 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0,152 mg/kg	marine sediment	short-term (single instance)
PNEC	0,0699 mg/kg	soil	short-term (single instance)
PNEC	11 mg/l	water	continuous

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

• material thickness

0,7mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol ≥99 %, for synthesis

article number: CP09

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	like: alcohol
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	7 (water: 80 g/l, 20 °C)
Melting point/freezing point	<-90 °C
Initial boiling point and boiling range	108 °C at 1.013 hPa
Flash point	31 °C at 1.013 hPa
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	1,5 vol%
• upper explosion limit (UEL)	12 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	12 hPa at 20 °C
Density	0,803 g/cm³ at 20 °C
Vapour density	2,56 air = 1
Bulk density	Not applicable
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	70 g/l at 20 °C
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	1 (pH value: 7, 25 °C) (ECHA)
Auto-ignition temperature	400 °C - ECHA
Decomposition temperature	no data available

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol ≥99 %, for synthesis

article number: CP09

Viscosity

- dynamic viscosity 3,95 mPa s at 20 °C
0,52 mPa s at 100 °C

Explosive properties none

Oxidising properties none

9.2 Other information

Surface tension 69,7 mN/m (20 °C)

Refractive index 1,395

SECTION 10: Stability and reactivity

10.1 Reactivity

risk of ignition. In case of warming: Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Reducing agents, Acid chlorides, inorganic, -
Dangerous/dangerous reactions with: Strong oxidiser, Aluminium, -
Violent reaction with: Alkali metals, Alkaline earth metal

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different plastic and rubber, aluminium

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
inhalation: vapour	LC50	24,6 mg/l/4h	rat	TOXNET
oral	LD50	2.460 mg/kg	rat	TOXNET
dermal	LD50	3.400 mg/kg	rabbit	TOXNET

Skin corrosion/irritation

Causes skin irritation.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

data are not available

• If on skin

causes skin irritation, risk of absorption via the skin

Other information

Headache, Blood pressure drop, Narcosis, Vertigo, Dizziness

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	1.430 mg/l	fish	ECHA	96 hours
EC50	1.100 mg/l	aquatic invertebrates	ECHA	48 hours
ErC50	1.799 mg/l	algae	ECHA	72 hours

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
NOEC	20 mg/l	aquatic invertebrates	ECHA	21 d

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

12.2 Process of degradability

The substance is readily biodegradable.
Theoretical Oxygen Demand: 2,59 mg/mg
Theoretical Carbon Dioxide: 2,375 mg/mg
Biochemical Oxygen Demand: 1,7 g/g

Process	Degradation rate	Time
biotic/abiotic	99 %	14 d
oxygen depletion	70 - 80 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)

1 (pH value: 7, 25 °C)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Slightly hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: CP09

SECTION 14: Transport information

14.1	UN number	1212
14.2	UN proper shipping name	ISOBUTANOL
	Hazardous ingredients	2-Methyl-1-propanol
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	1212
	Proper shipping name	ISOBUTANOL
	Particulars in the transport document	UN1212, ISOBUTANOL, 3, III, (D/E)
	Class	3
	Classification code	F1
	Packing group	III
	Danger label(s)	3
		
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	3
	Tunnel restriction code (TRC)	D/E
	Hazard identification No	30
	• International Maritime Dangerous Goods Code (IMDG)	
	UN number	1212
	Proper shipping name	ISOBUTANOL
	Particulars in the shipper's declaration	UN1212, ISOBUTANOL, 3, III, 31°C c.c.
	Class	3
	Packing group	III
	Danger label(s)	3

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol ≥99 %, for synthesis

article number: CP09



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

not listed

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **Seveso Directive**

2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

not listed

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol ≥99 %, for synthesis

article number: CP09

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Methyl-1-propanol $\geq 99\%$, for synthesis

article number: **CP09**

Abbr.	Descriptions of used abbreviations
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapour
H315	causes skin irritation
H318	causes serious eye damage
H335	may cause respiratory irritation
H336	may cause drowsiness or dizziness

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.