

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate ≥ 99%, extra pure

article number: **5301**
Version: **1.0 en**

date of compilation: 2016-06-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|-------------------------|
| Identification of the substance | Potassium iodate |
| Article number | 5301 |
| Registration number (REACH) | 01-2119920996-25-xxxx |
| EC number | 231-831-9 |
| CAS number | 7758-05-6 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Classification acc. to GHS | | | |
|----------------------------|-----------------------------------|---------------------------|------------------|
| Section | Hazard class | Hazard class and category | Hazard statement |
| 2.14 | oxidising solid | (Ox. Sol. 2) | H272 |
| 3.3 | serious eye damage/eye irritation | (Eye Dam. 1) | H318 |

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate $\geq 99\%$, extra pure

article number: 5301

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms



Hazard statements

H272 May intensify fire; oxidiser.
H318 Causes serious eye damage.

Precautionary statements

Precautionary statements - prevention

P210 Keep away from open flames and hot surfaces. No smoking.
P280 Wear protective gloves/eye protection.

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H318 Causes serious eye damage.
P280 Wear protective gloves/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

There is no additional information.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate ≥ 99%, extra pure

article number: **5301**

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-----------------------------|-----------------------|
| Name of substance | Potassium iodate |
| Registration number (REACH) | 01-2119920996-25-xxxx |
| EC number | 231-831-9 |
| CAS number | 7758-05-6 |
| Molecular formula | IKO_3 |
| Molar mass | 214 g/mol |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Gastrointestinal complaints, Breathing difficulties, Circulatory collapse, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate \geq 99%, extra pure

article number: 5301

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible. Oxidising property.

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.
Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When not in use, keep containers tightly closed.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Take any precaution to avoid mixing with combustibles.

Advice on general occupational hygiene

Wash hands before breaks and after work.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate $\geq 99\%$, extra pure

article number: 5301

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Keep away from combustible material.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | Notation | Identifier | TWA [mg/m ³] | STEL [mg/m ³] | Source |
|---------|---------------|----------|------------|--------------------------|---------------------------|-----------|
| GB | dust | i | WEL | 10 | | EH40/2005 |
| GB | dust | r | WEL | 4 | | EH40/2005 |

Notation

i Inhalable fraction

r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

- **human health values**

| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|----------|-------------------------|------------------------------------|-------------------|----------------------------|
| DNEL | 8,814 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

- **environmental values**

| Endpoint | Threshold level | Environmental compartment |
|----------|-----------------|------------------------------|
| PNEC | 1 mg/l | freshwater |
| PNEC | 0,1 mg/l | marine water |
| PNEC | 27,8 mg/l | sewage treatment plant (STP) |
| PNEC | 25,61 mg/kg | freshwater sediment |
| PNEC | 25,61 mg/kg | marine sediment |
| PNEC | 5,867 mg/kg | soil |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate $\geq 99\%$, extra pure

article number: 5301

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|-----------------|---------------------|
| Physical state | solid (crystalline) |
| Colour | white |
| Odour | odourless |
| Odour threshold | No data available |

Other physical and chemical parameters

| | |
|---|------------------------------------|
| pH (value) | ~ 6 (50 g/l, 20 °C) |
| Melting point/freezing point | 560 °C (slow decomposition) |
| Initial boiling point and boiling range | This information is not available. |
| Flash point | not applicable |
| Evaporation rate | no data available |
| Flammability (solid, gas) | Non-flammable |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate $\geq 99\%$, extra pure

article number: 5301

Explosive limits

| | |
|---------------------------------|--|
| • lower explosion limit (LEL) | this information is not available |
| • upper explosion limit (UEL) | this information is not available |
| Explosion limits of dust clouds | these information are not available |
| Vapour pressure | This information is not available. |
| Density | 3,98 g/cm ³ at 20 °C |
| Vapour density | This information is not available. |
| Bulk density | ~ 2.000 kg/m ³ |
| Relative density | Information on this property is not available. |

Solubility(ies)

Water solubility ~ 92 g/l at 25 °C

Partition coefficient

| | |
|-------------------------------------|--|
| n-octanol/water (log KOW) | This information is not available. |
| Soil organic carbon/water (log KOC) | 1,503 (ECHA) |
| Auto-ignition temperature | Information on this property is not available. |
| Decomposition temperature | >560 °C |
| Viscosity | not relevant (solid matter) |
| Explosive properties | none |
| Oxidising properties | oxidiser |

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alkaline earth metal, Arsenic, Cyanides, Sulphur, Metal powder, Phosphorus, Reducing agents,
=> Explosive properties

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >560 °C.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate \geq 99%, extra pure

article number: 5301

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

gastrointestinal complaints

- **If in eyes**

Causes serious eye damage, risk of blindness

- **If inhaled**

Inhalation of dust may cause irritation of the respiratory system, breathing difficulties

- **If on skin**

Frequently or prolonged contact with skin may cause dermal irritation

Other information

Other adverse effects: Circulatory collapse

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate ≥ 99%, extra pure

article number: 5301

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Method | Source | Exposure time |
|----------|-----------|---------------|----------|--------|---------------|
| EC50 | >100 mg/l | daphnia magna | OECD-202 | | 48 h |
| LC50 | 350 mg/l | fish | | ECHA | 96 h |

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient 1,503

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Slightly hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate \geq 99%, extra pure

article number: 5301

SECTION 14: Transport information

| | | |
|-------------|--|--|
| 14.1 | UN number | 1479 |
| 14.2 | UN proper shipping name Hazardous ingredients | OXIDIZING SOLID, N.O.S. Potassium iodate |
| 14.3 | Transport hazard class(es) Class | 5.1 (oxidizing substances) |
| 14.4 | Packing group | II (substance presenting medium danger) |
| 14.5 | Environmental hazards | none (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 14.6 | Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises. | |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. | |
| 14.8 | Information for each of the UN Model Regulations • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) | |
| | UN number | 1479 |
| | Proper shipping name | OXIDIZING SOLID, N.O.S. |
| | Particulars in the transport document | UN1479, OXIDIZING SOLID, N.O.S., (potassium iodate), 5.1, II, (E) |
| | Class | 5.1 |
| | Classification code | O2 |
| | Packing group | II |
| | Danger label(s) | 5.1 |
| |  | |
| | Special provisions (SP) | 274 |
| | Excepted quantities (EQ) | E2 |
| | Limited quantities (LQ) | 1 kg |
| | Transport category (TC) | 2 |
| | Tunnel restriction code (TRC) | E |
| | Hazard identification No | 50 |
| | Emergency Action Code | 1Y |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate \geq 99%, extra pure

article number: 5301

• International Maritime Dangerous Goods Code (IMDG)

| | |
|--|--|
| UN number | 1479 |
| Proper shipping name | OXIDIZING SOLID, N.O.S. |
| Particulars in the shipper's declaration | UN1479, OXIDIZING SOLID, N.O.S., (potassium iodate), 5.1, II |
| Class | 5.1 |
| Packing group | II |
| Danger label(s) | 5.1 |



| | |
|--------------------------|----------|
| Special provisions (SP) | 274, 900 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 kg |
| EmS | F-A, S-Q |
| Stowage category | D |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**
Not listed.
- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**
Not listed.
- **Regulation 850/2004/EC on persistent organic pollutants (POP)**
Not listed.
- **Restrictions according to REACH, Annex XVII**
not listed
- **List of substances subject to authorisation (REACH, Annex XIV)**
not listed
- **Seveso Directive**

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| P8 | oxidising liquids and solids | 50 200 | 55) |

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate \geq 99%, extra pure

article number: 5301

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | short-term exposure limit |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Potassium iodate \geq 99%, extra pure

article number: 5301

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| TWA | time-weighted average |
| vPvB | very Persistent and very Bioaccumulative |
| WEL | workplace exposure limit |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|------------------------------|
| H272 | may intensify fire; oxidiser |
| H318 | causes serious eye damage |

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.