

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: **9169**  
Version: **1.0 en**

date of compilation: 2016-03-15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>1-Propanol</b>
Article number	9169
Registration number (REACH)	01-2119486761-29-XXXX
Index No	603-003-00-0
EC number	200-746-9
CAS number	71-23-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 2)	H225
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	(STOT SE 3)	H336

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

### The most important adverse physicochemical, human health and environmental effects

Narcotic effects.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms



#### Hazard statements

H225 Highly flammable liquid and vapour.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.

#### Precautionary statements

##### Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P280 Wear protective gloves/eye protection.

##### Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H318 Causes serious eye damage.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

There is no additional information.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Name of substance	n-Propanol
Index No	603-003-00-0
Registration number (REACH)	01-2119486761-29-XXXX
EC number	200-746-9
CAS number	71-23-8
Molecular formula	C <sub>3</sub> H <sub>8</sub> O
Molar mass	60,1 g/mol

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



##### General notes

Take off contaminated clothing.

##### Following inhalation

Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

##### Following skin contact

Rinse skin with water/shower.

##### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### Following ingestion

Observe aspiration hazard if vomiting occurs. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Drowsiness, Dizziness, Headache, Vertigo, Cough, Dyspnoea, Vomiting, Narcosis, Risk of serious damage to eyes

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

##### Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

Covering of drains.

##### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

##### Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.  
Incompatible materials: see section 10. Disposal considerations: see section 13.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Avoid: Aerosol or mist formation.

- Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

Ground/bond container and receiving equipment.

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

No data available.

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
GB	propan-1-ol	71-23-8		WEL	200	500	250	625	EH40/2005

##### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

##### Relevant DNELs/DMELs/PNECs and other threshold levels

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### • human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1.723 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	136 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
DNEL	268 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1.723 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

### • environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	10 mg/l	freshwater	short-term (single instance)
PNEC	1 mg/l	marine water	short-term (single instance)
PNEC	96 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	22,8 mg/kg	freshwater sediment	short-term (single instance)
PNEC	2,28 mg/kg	marine sediment	short-term (single instance)
PNEC	2,2 mg/kg	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)



#### Eye/face protection

Use safety goggle with side protection.

#### Skin protection

##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

0,4 mm.

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	like: alcohol
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	7 (water: 200 g/l, 20 °C)
Melting point/freezing point	-127 °C
Initial boiling point and boiling range	96 - 98 °C
Flash point	15 °C (closed cup)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)

#### Explosive limits

• lower explosion limit (LEL)	2,1 vol%
• upper explosion limit (UEL)	19,2 vol%
Explosion limits of dust clouds	not relevant

Vapour pressure	19 hPa at 20 °C
Density	0,8 g/cm <sup>3</sup>
Vapour density	2,1 air = 1
Bulk density	Not applicable
Relative density	Information on this property is not available.

#### Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

#### Partition coefficient

n-octanol/water (log KOW)	0,25 (exp. Lit.) (TOXNET)
Soil organic carbon/water (log KOC)	0,633 (ECHA)
Auto-ignition temperature	360 °C - (DIN 51794)
Decomposition temperature	no data available

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### Viscosity

• dynamic viscosity 2,3 mPa s at 20 °C

Explosive properties none

Oxidising properties none

## 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

risk of ignition. Vapours can form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alkaline earth metal, Strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat.

### 10.5 Incompatible materials

different plastics, Rubber articles

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	1.870 mg/kg	rat	TOXNET
dermal	LD50	5.040 mg/kg	rabbit	TOXNET

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### • Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, presenting an aspiration hazard

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, fatigue, headache, breathing difficulties

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

### Other information

Other adverse effects: Dyspnoea, Narcosis

## SECTION 12: Ecological information

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	3.644 mg/l	daphnia magna	ECHA	48 hours
LC50	4.630 mg/l	Pimephales promelas	IUCLID	96 hours
ErC50	9.170 mg/l	Pseudokirchneriella sub-capitata	ECHA	48 hours

#### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
NOEC	>100 mg/l	aquatic invertebrates	ECHA	21 d

### 12.2 Process of degradability

The substance is readily biodegradable.

Theoretical Oxygen Demand: 2,4 g/g

Theoretical Carbon Dioxide: 2,197 mg/mg

Biochemical Oxygen Demand: 73 % von CSB

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

Process	Degradation rate	Time
biotic/abiotic	75 %	20 d
oxygen depletion	64 %	5 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 0,25

### 12.4 Mobility in soil

Henry's law constant 0,177 Pa m<sup>3</sup>/mol at 20 °C

The Organic Carbon normalised adsorption coefficient 0,633

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Slightly hazardous to water.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1	UN number	1274
14.2	UN proper shipping name	n-PROPANOL
	Hazardous ingredients	1-Propanol
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: **9169**

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	1274
Proper shipping name	N-PROPANOL
Particulars in the transport document	UN1274, n-PROPANOL, 3, II, (D/E)
Class	3
Classification code	F1
Packing group	II
Danger label(s)	3



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
<b>Emergency Action Code</b>	2YE

#### • International Maritime Dangerous Goods Code (IMDG)

UN number	1274
Proper shipping name	N-PROPANOL
Particulars in the shipper's declaration	UN1274, n-PROPANOL, 3, II, 15°C c.c.
Class	3
Packing group	II
Danger label(s)	3



Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	B

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**  
Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**  
Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**  
Not listed.

- **Restrictions according to REACH, Annex XVII**  
not listed

- **List of substances subject to authorisation (REACH, Annex XIV)**  
not listed

- **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

##### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

not listed

- **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

not listed

- **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

not listed

##### National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## 1-Propanol >99,5 %, for synthesis

article number: 9169

---

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H318	causes serious eye damage
H336	may cause drowsiness or dizziness

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.