

# SAFETY DATA SHEET

Page : 1

Revised edition no : 0

Date : 7 / 30 / 2010

Supersedes : 0 / 0 / 0

**Nitrogen****SDB 1 1 058**

2.2 : Non flammable, non toxic gas.

**Warning**

## 1 Identification of the substance/mixture and of the company/undertaking

**Product identifier****Trade name**

: Nitrogen

**SDS Nr**

: SDB 1 1 058

**Chemical description**

: Nitrogen

CAS No :007727-37-9

EC No :231-783-9

Index No :---

**Chemical formula**: N<sub>2</sub>**Registration-No.**

: Listed in Annex IV / V REACH, exempted from registration.

**Use**

: Industrial and professional. Perform risk assessment prior to use.

**Company identification**

: Kraiss &amp; Friz KG

Neckarstrasse 182

70190 Stuttgart GERMANY

Tel : 00 49 711 285 340

Fax : 00 49 711 26 04 77

e-Mail : info@kraissundfriz.de

**Emergency telephone number**

: 00 49 172 740 2115

## 2 Hazards identification

### Classification of the substance or mixture

**Hazard Class and Category Code****Regulation EC 1272/2008 (CLP)**• **Physical hazards**

: Gases under pressure - Compressed gas - Warning (H280)

**Classification EC 67/548 or EC 1999/45**

: Not included in Annex VI.

Not classified as dangerous preparation/substance.

No EC labelling required.

### Label elements

**Labelling Regulation EC 1272/2008 (CLP)**• **Hazard pictograms****Kraiss & Friz KG**

Neckarstrasse 182 70190 Stuttgart GERMANY

Tel : 00 49 711 285 340

Fax : 00 49 711 26 04 77

e-Mail : info@kraissundfriz.de

**In case of emergency : 00 49 172 740 2115**

# SAFETY DATA SHEET

Page : 2

Revised edition no : 0

Date : 7 / 30 / 2010

Supersedes : 0 / 0 / 0

## Nitrogen

SDB 1 1 058

### 2 Hazards identification (continued)

- Hazard pictograms code
- Signal word : Warning
- Hazard statements : H280 : Contains gas under pressure; may explode if heated.
- Precautionary statements
  - Storage : P403 : Store in a well-ventilated place.
- Labelling EC 67/548 or EC 1999/45
- Symbol(s) : None.
- R Phrase(s) : None.
- S Phrase(s) : None.

#### Other hazards

Other hazards : Asphyxiant in high concentrations.

### 3 Composition/information on ingredients

Substance / Preparation : Substance.

Substance name	Contents	CAS No	EC No	Index No	Registration no	Classification
Nitrogen	100 %	7727-37-9	231-783-9	----	NOTE 1	Press. Gas (H280)

Contains no other components or impurities which will influence the classification of the product.

Note 1: Listed in Annex IV / V REACH, exempted from registration.

Note 2: Registration deadline not expired.

Full text of R-phrases see chapter 16

### 4 First aid measures

#### First aid measures

- Inhalation : In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

### 5 Fire-fighting measures

- Specific hazards : Exposure to fire may cause containers to rupture/explode.
- Hazardous combustion products : None.
- Extinguishing media
- Suitable extinguishing media : All known extinguishants can be used.
- Specific methods : If possible, stop flow of product.  
Move away from the container and cool with water from a protected position.
- Special protective equipment for fire fighters : In confined space use self-contained breathing apparatus.

### 6 Accidental release measures

- Personal precautions : Evacuate area.  
Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.  
Ensure adequate air ventilation.

#### Kraiss & Friz KG

Neckarstrasse 182 70190 Stuttgart GERMANY

Tel : 00 49 711 285 340

Fax : 00 49 711 26 04 77

e-Mail : info@kraissundfriz.de

In case of emergency : 00 49 172 740 2115

# SAFETY DATA SHEET

Page : 3

Revised edition no : 0

Date : 7 / 30 / 2010

Supersedes : 0 / 0 / 0

## Nitrogen

SDB 1 1 058

### 6 Accidental release measures (continued)

Environmental precautions : Try to stop release.  
Clean up methods : Ventilate area.

### 7 Handling and storage

Handling : Suck back of water into the container must be prevented.  
Do not allow backfeed into the container.  
Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.  
Refer to supplier's container handling instructions.

Storage : Keep container below 50°C in a well ventilated place.

### 8 Exposure controls/personal protection

Personal protection : Ensure adequate ventilation.

### 9 Physical and chemical properties

Physical state at 20 °C : Gas.  
Colour : Colourless gas.  
Odour : No odour warning properties.  
Molecular weight : 28  
Melting point [°C] : -210  
Boiling point [°C] : -196  
Critical temperature [°C] : -147  
Vapour pressure [20°C] : Not applicable.  
Relative density, gas (air=1) : 0.97  
Relative density, liquid (water=1) : Not applicable.  
Solubility in water [mg/l] : 20

### 10 Stability and reactivity

Hazardous decomposition products : None.  
Chemical stability : Stable under normal conditions.

### 11 Toxicological information

Toxicity information : No known toxicological effects from this product.

### 12 Ecological information

Ecological effects information : No known ecological damage caused by this product.

### 13 Disposal considerations

General : Do not discharge into any place where its accumulation could be dangerous.  
To atmosphere in a well ventilated place.  
Contact supplier if guidance is required.

#### Kraiss & Friz KG

Neckarstrasse 182 70190 Stuttgart GERMANY  
Tel : 00 49 711 285 340  
Fax : 00 49 711 26 04 77  
e-Mail : info@kraissundfriz.de

In case of emergency : 00 49 172 740 2115

# SAFETY DATA SHEET

Page : 4

Revised edition no : 0

Date : 7 / 30 / 2010

Supersedes : 0 / 0 / 0

## Nitrogen

SDB 1 1 058

### 14 Transport information

UN number : 1066

• Labelling ADR, IMDG, IATA



: 2.2 : Non flammable, non toxic gas.

#### Land transport

##### ADR/RID

H.I. nr : 20

UN proper shipping name : NITROGEN, COMPRESSED

Transport hazard class(es) : 2

- ADR/RID Classification code : 1 A

- Packing Instruction(s) - General : P200

- Tunnel Restriction : E : Passage forbidden through tunnels of category E.

#### Sea transport

##### - IMO-IMDG code

• Proper shipping name : NITROGEN, COMPRESSED

• Class : 2.2

- IMO Packing group : P200

- Emergency Schedule (EmS) - Fire : F-C

- Emergency Schedule (EmS) - Spillage : S-V

- Instructions - Packing : P200

#### Air transport

##### - ICAO/IATA

• Proper shipping name : NITROGEN, COMPRESSED

• Class : 2.2

• Passenger and Cargo Aircraft : Allowed.

- Packing instruction : 200

• Cargo Aircraft only : Allowed.

- Packing instruction : 200

Avoid transport on vehicles where the load space is not separated from the driver's compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Before transporting product containers :

- Ensure that containers are firmly secured.
- Ensure cylinder valve is closed and not leaking.
- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
- Ensure valve protection device (where provided) is correctly fitted.
- Ensure there is adequate ventilation.
- Compliance with applicable regulations.

# SAFETY DATA SHEET

Page : 5

Revised edition no : 0

Date : 7 / 30 / 2010

Supersedes : 0 / 0 / 0

**Nitrogen****SDB 1 1 058**

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.

**Seveso regulation 96/82/EC** : Not covered.

## 16 Other information

Asphyxiant in high concentrations.

Keep container in a well-ventilated place.

Do not breathe the gas.

The hazard of asphyxiation is often overlooked and must be stressed during operator training.

This Safety Data Sheet has been established in accordance with the applicable European Directives and applies to all countries that have translated the Directives in their national laws.

**DISCLAIMER OF LIABILITY** : Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.  
Details given in this document are believed to be correct at the time of going to press. Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

**End of document**